Standard Operating Procedure	Employee Handwashing	Issued on: [DATE] Issued by: [NAME]
	Version No: [NUMBER]	Revised on: [NEW DATE]
	Supersedes: [PRIOR NUMBER]	Page 1 of 3

Objective:	To reduce the risk of contaminating food products with foodborne illness-causing pathogens.		
Personnel Scope:	Anyone who accesses the facility or comes into contact with food product(s), including employees, buyers, inspectors, visitors, and/or volunteers.		
Frequency:	Before starting work		
	Before directly handling any food products		
	Before putting on or changing gloves		
	After contact with allergens		
	After touching hair, face, body, clothing		
	After eating, drinking, smoking, sneezing, or coughing		
	After using the restroom		
	After any clean-up activity		
	Whenever there may be a source of contamination		
Materials:	Visible signage posted next to hand-washing sinks, restrooms and at entrance to facility in language(s) understood by all employees.		
	Potable water *		
	Liquid hand soap		
	Single-use paper towels or a mechanical hot dryer		
	Designated hand wash sink		
Procedures:	 If wearing shirt-sleeves, roll them up to expose wrists and lower forearms. 		
	 Wet hands and forearms with warm (ideally at least 100°F), clean, running water and apply soap. 		

Standard Operating Procedure	Employee Handwashing	Issued on: [DATE]
		Issued by: [NAME]
	Version No: [NUMBER]	Revised on: [NEW DATE]
	Supersedes: [PRIOR NUMBER]	Page 2 of 3

	 Wash hands by rubbing them together vigorously for at least 20 seconds. Scrub in between and around fingers. Scrub fingertips and wrists. Rinse hands and wrists under warm running water for at least 5-10 seconds. Dry hands with a clean, single-use paper towel. Shut off water using the paper towel. Discard the used paper towel in the trash.
Monitoring:	 Any observed deviation from the above procedures must be reported to a supervisor. On a weekly basis, Warehouse Manager will ensure adequate supplies are available for proper handwashing.
Corrective Action:	 Products affected by compliance failure with the above procedures will be discarded. Compliance failure will trigger staff retraining.
Verification:	 Compliance failure and corresponding corrective action will be documented by the supervisor on the <i>Employee Hygiene Log</i>. Retraining will be documented on the <i>Employee Training Log</i> and initialed by the employee.
Record-keeping:	Hard copies of logs will be stored in the office filing cabinet.

* Potable water is defined as meeting the standards for drinking purposes of the State or local authority having jurisdiction, or meeting the standards prescribed by the U.S. Environmental Protection Agency's National Primary Drinking Water Regulations (40 CFR 141).

Acknowledgements:

Erin DiCaprio, M.S., Ph.D. Assistant Specialist in Cooperative Extension Department of Food Science and Technology, UC Davis, UC Division of Agriculture and Natural Resources

Thais Ramos, M.S., Ph.D. Associate Specialist Department of Food Science and Technology, UC Davis

Standard Operating Procedure	Employee Handwashing	Issued on: [DATE] Issued by: [NAME]
	Version No: [NUMBER]	Revised on: [NEW DATE]
	Supersedes: [PRIOR NUMBER]	Page 3 of 3

Gwenaël Engelskirchen

Sustainable Supply Chain Analyst, University of California Sustainable Agriculture Research & Education Program (UC SAREP), UC Division of Agriculture and Natural Resources

Alda Pires, D.V.M., M.P.V.M., Ph.D.

Associate Specialist in Cooperative Extension, Department of Population Health and Reproduction, College of Veterinary Medicine, UC Davis, UC Division of Agriculture and Natural Resources

This information is provided by the authors in good faith, but without warranty. It is intended as an educational resource and not as advice tailored to a specific operation or a substitute for actual federal regulations and guidance from FDA or other regulatory agencies. We will not be responsible or liable directly or indirectly for any consequences resulting from use of information provided in this document or resources suggested in this document. The development of this material was supported by the National Institute of Food and Agriculture, U.S. Department of Agriculture, under award number 2018-70020-28862. USDA is an equal opportunity employer and service provider. Any opinions, findings, conclusions, or recommendations expressed in this publication are those of the author(s) and do not necessarily reflect the view of the U.S. Department of Agriculture.